

INDEX

A

A' Trous Transform (Algorithme A' Trous).
 See also Conventional DWT
 named for *trousers* with *holes*, 23, 50,
 124-128

Acoustic Piano, 9, A12, B2-B3.
 See also STFT

Alias cancellation. *See also* PRQMF
 demonstrated in the frequency domain,
 261-271
 demonstrated in the time domain,
 251-260
 found in biorthogonal wavelet filters,
 214, 218
 found in orthogonal wavelet filters,
 203-214
 jargon alert, 25
 related to “traditional” equations,
 271-279
 requires “inverse DWT”, 298
 using PRQMF, 106, 122

Aliasing in the conventional (decimated)
 DWT, 20-30, 60-64, 129-140, 174,
 241-250, C8

Analysis portion of transforms.
 See Decomposition

Analysis signal, 12, C3. *See also* Fast
 Fourier Transform (FFT)

Analysis wavelet, 13. *See also* Continuous
 Wavelet Transform (CWT)

Analysis, multi-scale, 161

Anti-symmetric wavelets, 156, 191, 203,
 205-218

Anti-symmetric sine function, 201

Approximation (as used in wavelets)
 coefficients, 21, 25, 44-71, 126-134, 298
 in case studies, 223-238
 in the conventional (decimated) DWT,
 70-77, 106-116, 131-132
 in the Undecimated DWT, 21-22, 44-45,
 51-60

 in the Wavelet Packet Transform (WPT),
 137-138
 jargon alert, 21
 related to key equations, 290, 296
 resembling the scaling function, 180
 shown in FFT format, A4-A5

Audio Fourier transform, A12. *See also*
 Sheet music, Acoustic piano

Avionics, analogy to wavelets, 187

B

B-spline wavelets. *See* Complex frequency
 b-spline wavelets

Bandpass filters
 as related to “mother” wavelet, 15
 Mexican hat example, 89-96
 Morlet example, 89-97
 bandpass width, 194
 basic and stretched Haar and
 Daubechies filters, 110-120
 biorthogonal and reverse biorthogonal
 example, 214
 complex frequency b-spline, 200
 crude wavelets are bandpass, 188-189
 discrete Meyer example, 212
 Meyer example, 193-194
 Shannon example, 194-196

Bandshifting, 194, 196, 217-218

Barbara, image processing test image,
 239-250

Basis functions, 15, 156, 175

Basis vectors, 155, 167

Best basis, 139, 174

Biorthogonal wavelet (filters)
 built by upsampling and lowpass
 filtering, 116-117
 can be constructed from splines in time
 domain, 215

- estimation of “continuous” wavelet using interpolated filters, 6, 117-118, C10
- frequency characteristics, 118
- general description, 5-6, 161-169, 214-216
- halfband filters also produced by biorthogonal, 147, 161-165
- interrelationships of the filters, 163
- linear phase, 166, 214, 218
- orthogonality relationships, 164-166
- properties in table form, 219
- terminology (*bi-orthogonal*) compared to American Bi-centennial, 163
- two sets of symmetric, different length wavelet filters, 28
- used in JPEG, FBI, and other image compression, 28-29, 166, 240, C8-C10
- Black and white television, 43
- Block averager, differentiator, 56-57, 106. *See also* Haar wavelet
- Brickwall filtering, 170

C

- Caffeinated Coffee, 43, 125. *See also* DWT
- Cartesian coordinates. *See also* Orthogonality
 - basis vectors, 155, 161
 - streets of Salt Lake City, 203
- Center frequency, 95-120, 188-201
- Chips per bit, 72
- Chirp jammer, 134, 225-228. *See also* Signals, chirp
- Chirp wavelet. *See* Daubechies wavelet filters (DbN)
- Chirping, 122, 171. *See also* Signals, chirp
- Clipping, 221
- Coiflet wavelet (filters)
 - applications, 5, C10
 - built by upsampling and lowpass filtering, 116
 - estimation of “continuous” wavelet using interpolated filters, 6, 117, 210, C10
 - frequency characteristics, 118
 - general description, 209-211
 - named for Ronald Coifman, 209
 - nearly symmetrical, 209
 - orthogonality relationships, 209
 - properties in table form, 219
- Compact support, 169, 188-218, 285
- Comparing signals with sinusoids, 7, 11-12, 174, A6-A9, C1-C3
- Comparing signals with wavelets, 7-36, 136, A9-A11, C3-C9, D6. *See also* Correlation
- Complex frequency b-spline wavelet (filters)
 - b-spline terminology, 200
 - connected polynomials (splines), 218
 - constant Q behavior, 200
 - equation generates discrete points, 198
 - frequency characteristics, 199-200
 - general description, 198-200
 - jargon alert, 200
 - properties in table form, 219
 - relationship to Shannon wavelet, 198
 - used in isolating desired frequencies, 199
- Complex Gaussian wavelet (filters)
 - applications, 203
 - derivitives and order, 203
 - equation generates discrete points, 201
 - frequency characteristics, 218
 - general description, 201-203
 - jargon alert, 203
 - properties in table form, 219
 - theoretical “continuous” wavelet, 202
- Complex Morlet wavelet (filters)
 - applications, 201
 - better frequency resolution in longer filters, 218
 - equation generates discrete points, 201
 - general description, 201
 - properties in table form, 219
 - theoretical “continuous” wavelet, 201
- Complex numbers, tutorial, 267
- Compression. *See also* Denoising
 - alias cancellation loss, 297
 - case studies, 235-240
 - in music, 10

- JPEG image compression, 28-29, 134, 166, 215
- simultaneously in time and frequency, 19-23
- using conventional DWT, 26-30, 131-134, C9
- using Haar wavelet filter, 64-70
- using Undecimated DWT, 43-58, 126, 260, C8
- with biorthogonal wavelets as basis, 166, 214-215
- with orthogonal wavelets as basis, 161, 203-207
- Constant Q behavior, 96-97, 189-218
- Constituent sinusoids, 7
- Constituent wavelets, 13, 154-166
- Continuous scaling function (theoretical), 281-288, A5
- Continuous wavelet function (theoretical), 113, 119, 281-294
- Continuous Wavelet Transform (CWT)
 - comparison with FFT and STFT, A2-A9
 - customized wavelet use in, 171, 174
 - CWT values identical to some coefficients in conventional DWT, 128, 135-137
 - displays, 16-18, 37-40
 - generalized equation, 15
 - inverse CWT (ICWT), difficulties in a many-to-one operation, 123
 - list of CWT-only wavelets, 219
 - more “redundant” than Redundant DWT (RDWT), 52, 129. *See also* UDWT
 - related to correlation values, 14-15, C3
 - sanity check using CWT first, 123
 - scale as used in CWT processing, 86
 - step-by-step example using Haar wavelet (filter), 31-42
 - strengths and weaknesses, 121-124
 - stretched wavelet filters in CWT (and UDWT), 26, 170
 - theoretical reconstruction (synthesis) portion, 123
 - uses only highpass decomposition filter and stretches it, 86, 99-114
 - what is “continuous” about the CWT, 19, 123
- Conventional (decimated) Discrete Wavelet Transform (DWT). *See also* Aliasing a first glance, 24-29
 - alias cancellation demonstrated in frequency domain, 261-271
 - alias cancellation demonstrated in time domain, 251-260
 - aliasing not canceled, 249, 297. *See also* Aliasing
 - compared with Undecimated DWT, 124
 - creates miniature scaling function artifacts, 290-291
 - creates miniature wavelet function artifacts, 295-296
 - decimation implied, 125
 - decomposition portion, 24, 60, 124-144, 298
 - display, 70-76, 243-244
 - examples of use, 222-241
 - fast wavelet transform (terminology), 298
 - forward and inverse DWT (terminology), 296-298
 - frequency allocation diagram, 68-74, 224
 - inverse DWT (IDWT) unusable alone, 24
 - reconstruction portion, 24, 60, 124-144, 295-298
 - relating DWT to CWT, 135-140
 - shrinking the signal, 129-135, C8
 - step-by-step walk-through using the Haar wavelet, 59-77
 - three more basic filters used in DWT than in CWT, 109, 111
- Convolution, *See* Correlation
- Correlation
 - convolution same as correlation with PRQMF, 34-51, 126-129, 143-144, 158, 252-253
 - correlation coefficients, 15, 175, A9-A12
 - correlation value, 11-15, 42, 252-258, C1-C5
 - correlation with unit basis vectors, 155
 - correlations with sinusoids, 7, 11-12, A6-A9, C1-C2

- correlations with wavelet (filters), 1-5, 13-59, 83-99, 122-190, A6, A9-A12, C3-C8
- cross correlation, 34, 136, 156-178, 212-213, A10-A11. *See also* Correlations with wavelets
- form of comparison, 1-7, 32-36, 136, C8
- matching the wavelet filter, 5, 14-16, 90-99, 169-173, 197-235, A11-A12, B3, C3-C4
- single-point correlation, A6. *See also* Dot Product
- Cost functions, 174, 185
- Crude wavelets (filters), 219
 - crude (complex) wavelets, 194-203
 - crude (real) wavelets, 188-194
 - crude wavelets not continuous, 188
 - discrete points from an explicit equation, 4-6, 83-98, 188-201
 - jargon alert, 4
- Customized wavelets, 171, 174
- Cutoff frequency, 80-83, 98, 194, 197
- CWT. *See* Continuous wavelet transform
- D**
- Daubechies wavelet (filters) DbN
 - abbreviation Db, not dB, 226
 - appending equispaced end zeros for perfect fit to filters, 4-5, 115-116, 205, 287, C9
 - applications, 18, 111, 175-183, 207
 - built by upsampling and lowpass filtering, 112-117
 - chirp wavelet, 206
 - estimation of "continuous" wavelet using interpolated filters, 4-6, C10
 - four "magic numbers" of Db4 wavelet filter, 111, 114, 153-154, 183-184 285
 - frequency characteristics, 117-118
 - general description, 205-207
 - halfband filters from wavelet filters, 142
 - named for Ingrid Daubechies, 226
 - non-linear phase, 206
 - numerical integration to obtain desired filter length, 113-114
 - orthogonality relationships, 155-167, 183, 203-204, 219, A6
 - producing Daubechies filters from half band filters, 150-154
 - properties in table form, 219
 - referred to as "Db(N/2)" in MATLAB, 111
 - smooth (regular) for large N, 227
 - stretching ("scaling" or "dilation") to match signal, 18
 - support width (length) , 120, 205
- Decimation by two, 24-25 59-62, 124-133, 245, 261-263, C8. *See also* Downsampling
- Decomposition (Jargon Alert), 21. *See also* CWT, DWT, UDWT and WPT
- Deconvolution, 147, 169, 208
- Delta function. *See* Kronecker delta function
- Denosing. *See also* Compression
 - alias cancellation loss, 297
 - case studies, 222-240
 - in music, 10
 - simultaneously in time and frequency, 19-23
 - using classical FFT, A4-A13, C7
 - using conventional DWT, 26-28, 131-134, C8-C9
 - using Haar wavelet filter, 58, 64-78
 - using Undecimated DWT, 43-55, 126, 240-260, C8
 - with *biorthogonal* wavelets as basis, 152-163, 214, 221
 - with *orthogonal* wavelets as basis, 156, 161, 203-204
- Details (as used in wavelets)
 - case studies, 180-181, 223-224, 228, 232-233, 236
 - coefficients, 21, 44-52, 60, 127, 131, 135
 - definition, 21
 - in the conventional DWT, 70-77, 131-132, 136
 - in Undecimated DWT, 21-22, 44-58, 126
 - in the WPT, 137-138
 - looking like the scaling function,

- related to key equations, 296-298
 - shown in FFT format, A4-A5
 - DFT. *See* Discrete *Fourier* Transform
 - Digital Image Processing using wavelets.
 - See also* specific wavelets
 - symmetry, 163, 166, 206-209, 214-218
 - soft effect using wavelets, 240
 - soft effect using gauze, 240
 - compression, 10, 28-29, 161, 166, 236-240, C1, C9. *See also* JPEG
 - denoising, 10, 28, 137, 161, 236-240, C1
 - Dilation
 - as either stretching or shrinking the wavelet, 3
 - by interpolation, 82-86, 106, 196
 - constituent wavelets, 161
 - dilation equation, 281-295
 - dyadic dilation, 19. *See also* DWT
 - in the Undecimated DWT, 125
 - jargon alerts, 3, 19
 - to match the desired event, 5, 15-16, 170, A10-A11
 - Discrete *Fourier* Transform (DFT). *See* Fast *Fourier* Transform (FFT)
 - Discrete Meyer wavelet (filters)
 - can be used in both CWT and DWT, 212-214
 - estimation of “continuous” wavelet using interpolated filters, 212
 - frequency characteristics, 212-213
 - general description, 211-214. *See also* Meyer wavelet
 - orthogonality relationships, 212-213
 - properties in table form, 219
 - Discrete Wavelet Transform (DWT). *See* Conventional (decimated) DWT
 - Doppler shift, 122. *See also* Kinematics
 - Dot product, 155-185, 204-217, 254-255, A6-A11. *See also* Correlation
 - Downsampling. *See also* Upsampling, DWT, and Aliasing
 - by two. *See* Decimation by two
 - dyadic, 24, 129
 - in LTI systems, 259
 - jargon alert, 24
 - keeping odd or even values, 61, 124, 253
 - number of coefficients reduced by, 26, 70
 - producing artifacts, 291, 296
 - shift-variant, 260
 - shrinking the signal, 24-26
 - DWT. *See* Conventional (decimated) Discrete Wavelet Transform
- E**
- Effective length (effective support), 84-98, 169, 188-202, 217
 - Einstein, Albert, ii, 142, 301
- F**
- Fake wavelets, 122, 169-178. *See also* Morlet wavelet (filters)
 - Fast *Fourier* Transform (FFT). *See also* Short Time *Fourier* Transform (STFT)
 - audio FFT, A12-A13. *See also* Acoustic piano
 - basis functions, 15
 - better choice than wavelets for stationary signals. *See* Signals, stationary
 - comparisons (correlations) with “stretched” sinusoids, 7-13, A6-A9, C2-C3
 - forward and inverse FFT (FFT and IFFT), 7, 20, 67, 103, 297
 - frequency domain, 7, 10, 79-80, 198-219, 245-248, 261-271, 296-297, A3
 - functionally equivalent to Discrete *Fourier* Transform (DFT), 1, 20, 297-298
 - generalized equation, 12
 - notch filter, 170, 225
 - pathological case using FFT, A1-A2
 - product of FFTs. *See* Spectral factorization
 - radix two FFT, 131
 - relation to STFT, B3-B5
 - results of FFT shown in Continuous Wavelet Transform (CWT) format, A3-A4
 - sampling at Nyquist frequency, 251

using cosine for real values, 87
 wavelet terms *Approximation* and
Details shown in FFT format, A4-A5
 wavelets better choice than FFT for non-
 stationary signals. *See* Signals, non-
 stationary

Fast wavelet transform. *See* DWT

Father wavelet, 15, 292. *See also*
 Mother wavelet

FBI fingerprints. *See* Biorthogonal wavelet
 (filters)

Filters. *See also* Wavelet filter list, 219
 filter bank, 20-26, 251-259. *See also*
 PRQMF

finite length filters. *See* Compact support

highpass decomposition filter, 21, 44,
 125, 143-145, 164-165, 204-216, 271

highpass reconstruction filter, 21, 44,
 106-116, 145, 164-165, 204-219,
 271, 291-295

lowpass decomposition filter, 44, 126,
 142-145, 158-165, 204, 271

lowpass reconstruction filter, 21, 44,
 106-127, 162-164, 204, 271-296

passband, 46, 82, 96-97, 111, 193-197.
See also Constant Q

perfect reconstruction. *See* PRQMF

scaling function filter. *See* Filters, low
 pass reconstruction

stopband, 48

transition band, 48-54, 81-90, 117-120,
 197

upside down or differing by a sign, 116

wavelet function filter. *See* Filters, high
 pass reconstruction

Frequency b-spline wavelets. *See* Complex
 frequency b-spline wavelets

Frequency domain. *See* Fast Fourier
 Transform

Frequency sub-bands. *See* DWT, UDWT,
 and WPT (frequency allocation)

FSK/FM. *See* Signals

Fugal bugle, 161. *See also* Denoising

G

Gaussian wavelet (filters)
 applications, 192
 derivatives of Gaussian, 191
 frequency characteristics, 199
 general description, 191-192
 properties in table form, 219
 regular, smooth, and symmetrical, 192
 theoretical “continuous”
 wavelet, 6, C10
 used with CWT but not DWT, 192

Gaussian wavelet. *See* Complex Gaussian
 wavelet

Global Positioning System (GPS), 122, 171

H

Haar wavelet (filters)
 antisymmetric with linear phase, 47,
 205-206, 218

applications, 5, 170, 207-235, C10

details coefficients identical to CWT
 values, 128, 136

discontinuities in, 5, 109, 172, 204

display of signals using, 235-240,
 249-250

dual of the Sinc (Shannon) wavelet, 197

frequency characteristics, 110-111, 142

general description, 204-205

halfband filters from wavelet filters, 126,
 146

have 2 filter points, named “Db2” in
 most literature, 106, 112-120, 160,
 172, 176, 206

interpolation (stretching) by upsampling,
 lowpass filtering, 106-107

interrelationships of the four PRQMF
 filters, 143-153

mapped onto a Support width (length) of
 one, 108, 204-205

named for Alfred Haar, 90, 106

numerical integration to obtain desired
 filter length, 109-110

one vanishing moment, 204, 218-219

orthogonality relationships, 160-161

properties in table form, 219
 shortest, simplest of both Daubechies
 and biorthogonal wavelets, 5, 31, 205
 step-by-step conventional DWT example
 using, 59-78
 step-by-step CWT example using, 31-42
 step-by-step Undecimated DWT example
 using, 43-58
 theoretical “continuous”
 wavelet, 6, 108, C10
 Halfband filters, 20-21, 46-54, 141-166 *See*
also PRQMF, Phase, Orthogonal, and
 Biorthogonal
 Heisenberg uncertainty principle and
 Heisenberg boxes, 197, B1-B5
 Hubbard, Barbara B. 152, D3

I

Ideal lowpass filter, 79
 Inner product. *See* Dot product
 Integration interval (time), 8, A2-A3, B1-B4
 Interpolation
 adding points for lower cutoff frequency,
 82-83
 stretching (dilating) filter, 98, 196-200
 wavelets built by upsampling and
 lowpass filtering, 4, 101-127, 177,
 204-222, 282-300
 Inverse FFT, CWT, UDWT *and* WPT. *See*
 FFT, CWT, UDWT *and* WPT

J

JPEG, 28-30, 134, 166, 207, 215, C9. *See*
also Biorthogonal wavelets

K

Kinematics (orbital), 122, 171
 Kronecker delta function, 146-150, 251-270

L

Lifting scheme, 174-175
 Linear time invariant (LTI) system, 64,
 132, 148, 259. *See also* DWT *and*
 Downsampling

Lyons, Richard G., 152, D1, D3-D4

M

Mapping of wavelet filters to compact
 support width, 109, 113-116,
 157-160, 283-285
 Matched filter, 169, 171. *See also*
 Correlation, matching the wavelet
 Matching pursuit. *See* Best basis
 Mathematical Microscope, 217
 MATLAB software routines
bior, 28. *See also* Biorthogonal wavelet
 (filters)
cmor, 201. *See also* Complex Morlet
 wavelet (filter)
coif, 116-118. *See also* Coiflet wavelet
 conv, 34-37, 43, 158, 216. *See also*
 Correlation, same as convolution with
 PRQMF
cwt, 41. *See also* Continuous Wavelet
 Transform
dwt, 71. *See also* DWT
dyaddown, 61-66. *See also*
 Downsampling, dyadic)
dyadup, 62-64, 71. *See also* Upsampling,
 dyadic)
fbsp, 199. *See also* Complex frequency
 b-spline wavelet (filters)
fft, 1. *See also* Fast Fourier Transform
fir1, filter design using window method,
 119
firls, filter design using least squares
 method, 150-153
haar, 39, 41, 205. *See also* Haar wavelet
 (filters)
mexh, 4, 84-91, 189. *See also* Mexican
 hat wavelet (filter)
morl, 90-93. *See also* Morlet wavelet
 (filter)
roots, finds roots of polynomial, 152, 167
shan, 194-198 *See also* Shannon wavelet
swt, 134. *See also* Stationary Wavelet
 Transform

wkeep, trims data, usually to original signal length, 35-37
xcorr, 34. *See also* Correlation, cross correlation

Median filtering, 228-229

Mexican hat wavelet (filters)
 applications, 189
 crude wavelet used in CWT only, 219
 CWT display using split-sine signal, 90
 discrete points generated from equation, 4, 85
 effective support (length), 84
 example of stretched crude filter, 84-87
 frequency characteristics, 95-98
 general description, 189
 human eye experiment, 189
 properties in table form, 219
 sombrero shape, 84
 theoretical “continuous” wavelet, 6, C10

Meyer wavelet (filters)
 discrete points generated by frequency domain equation, 192-194
 frequency characteristics, 193
 general description, 192-184
 named for Yves Meyer, 192
 properties in table form, 219
 used in CWT to isolate events by frequency, 194. *See also* Discrete Meyer wavelet

Millennial transform, 6-7

Morlet wavelet (filters)
 applications, 190
 compared to “fake” wavelet, 172-173
 considered as “original wavelet”, 90
 discrete points generated by continuous equation, 192
 effective support, 91
 formulated by Jean Morlet, 90
 frequency characteristics, 94-98
 general description, 190
 infinitely regular, 172, 184
 modified Gaussian, 190
 properties in table form, 219
 stretching of this crude filter, 90-94

symmetrical, 192

Mother wavelet, 15-18, 99--112, A11. *See also* Bandpass filters

Moving averager. *See* Block averager

Moving differentiator. *See* Block differentiator

Multirate system, 187, 251. *See also* Filters, filter bank

Multiresolution analysis, 187. *See also* Filters, filter bank

N

Natural order of time and frequency, B1-B3. *See also* Heisenberg

No distortion equation, 271-272. *See also* Halfband filters *and* Alias cancellation

Numerical integration, differentiation, 109-120, 191. *See also* Haar *and* Daubechies wavelets

O

Octaves. *See* Sheet music

Orthogonality. *See also specific wavelet*
 integer orthogonal, 158-159, 255
 orthogonal basis, 155-156, 159
 orthogonal sinusoids, 12, 156, 161, C2
 orthogonal system and vectors, 155-156
 orthogonal wavelets, 156-166, 203-214, 219. *See also* Biorthogonal
 orthonormality, 15, 158-166, 255

P

Perfect overlay of filter points on “continuous” wavelets, 4-5, 115-116, 205, 215-217, 283-293, C9

Perfect Reconstruction Quadrature Mirror Filters (PRQMF), 26, 140-144, 256-277. *See also* Alias cancellation

Perfect reconstruction, 21, 52-57, 63-64, 132-133. *See also* PRQMF

Phase
 linear in halfband filters, 47-48, 145-148
 linear in symmetric wavelets, 47, 95-97

shifting, 12, 156, 264-279. *See also*
Aliasing
wavelet phase properties, 219
Pianoforte. *See* Acoustic Piano
Planck's Constant, 197, B3. *See also*
Heisenberg
PRQMF. *See* Perfect Reconstruction
Quadrature Mirror Filters
Pseudo frequency, 2-3, 15-16, 95

Q

Quasi-continuous wavelet transform. *See*
UDWT

R

Radix two. 123, 131, 297
Reconstruction (Jargon Alert), 21. *See also*
CWT, DWT, UDWT *and* WPT
Recursion, 288
Redundant DWT. *See* UDWT
Regularity, 2, 168-219
Resemblance index. *See* Correlation
coefficients
Reverse biorthogonal wavelet (filters)
applications. *See* Biorthogonal wavelets
estimation of "continuous" wavelet using
interpolated filters, 216
frequency characteristics. *See*
Biorthogonal wavelets
general description, 216-217
orthogonality relationships. *See*
Biorthogonal wavelets
properties in table form, 219

S

Scaling (stretching), 3, 10-18, 35-42, 104,
121-136, A2-A5, A10-A12, C6. *See*
also Dilation
Shannon (complex) wavelet (filters)
constant Q behavior, 198
crude wavelet used in CWT only, 198
discrete points generated by continuous
equation, 194-196
dual of the Haar wavelet, 197

frequency characteristics, 195-197
general description, 194-198
lowpass real filter made complex
bandpass, 194, 218
properties in table form, 219
theoretical "continuous"
wavelet, 6, 195-196, C10
used in finding specific frequencies, 5,
198, C10
Sheet music comparison with wavelet
display, 8-9, B2
Shift invariant system. *See* Linear time
invariant
Shift invariant wavelet transform. *See*
UDWT
Shift variant transform. *See* Conventional
DWT
Shifting the wavelet. *See* Translation
Short Time Fourier Transform (STFT). *See*
also Integration interval *and* FFT
audio STFT, A12
case studies, 231, 243, B5
compromise between time and frequency
information, 8
constrained to fixed Heisenberg boxes,
B3-B4
results shown in CWT format, A2-A4
Shrinking and Stretching. *See* Dilation
Signals
binary, 27-28, 72-78, 170, 225-236
BPSK, 225
chirp, 121, 170, 221-223, B4-B5
city skyline, 182
embedded pulse, 11-16, 55, C1-C6
FSK/FM, 241
signal identification, 122
jargon alert, 1
non-stationary, 1, 30, 77, 297, B5
split sine, 87-95, 122, 171-173, 236-239
stationary, 1-2, 71-77, 170-174, 243-
256, A2-A6
Sinc function, 5, 79-83
Sinc wavelet. *See* Shannon wavelet
Single-point correlation. *See* Dot product

Skin imperfections. *See* Digital Image Processing, denoising

Slew. *See* Kinematics

Sliding the wavelet, *See* Translation

Slinky toy, demonstrates stretching (scaling) and frequency, A10

Smith, Steven W., 152, D1, D5

Smoothness. *See* Regularity

Spectral Factorization, 111, 152-153

Spline wavelets. *See* Complex frequency b-spline wavelets

Sport of basis hunting, 174, 195, 219

Star Trek terminology, 219, A5

Stars and Stripes Forever, 8-9. *See also* Integration time

Stationary wavelet transform. *See* UDWT

STFT. *See* Short Time Fourier Transform

Superfilters, C8. *See also* UDWT, stretching the wavelet

Support width, 204-205. *See also* Compact support

Symlet wavelet (filters)

- applications, 209
- estimation of “continuous” wavelet using interpolated filters, 208
- general description, 207-209
- nearly symmetrical, 209
- orthogonality relationships, 209
- properties in table form, 219

Symmetry, 5, 29, 47, 145-167, 188-222, C9-C10

Synthesis portion of transforms. *See* Reconstruction

T

Table of wavelet (filters) properties, 219

Thresholding, *See also* DWT, examples

- case studies, 27-29, 135
- for a specific time *and* a specific frequency, 27, 78, 135
- interval dependent thresholding, 27, 77, 135, 224-242
- jargon alert, 27
- reverse thresholding, 226-230

Time-reversed filters. *See* PRQMF

Time/frequency analysis, 9, 197, 223-231, 242, B1-B5, C6

Transforms. *See* CWT, DWT, FFT, UDWT, WPT *and* Millennial Transform

Transient signal, 1, 122, 134, 169-175, 205. *See also* Signals, non-stationary

Translation (shifting)

- dyadic translation, 157, 164
- in conventional DWT, 130
- in CWT, 5, 13-19, 32-36, 122, 201, A9-A11, C4-C5
- in Undecimated DWT, 56-57, 125, 134, 157-161, 174
- jargon alert, 6
- wavelet terminology for shifting or sliding, 6, A5

Translation Invariant Wavelet Transform. *See* UDWT

Tube-type amplifiers and clipping, 231

Two-channel Quadrature Mirror Filter Bank. *See* Conventional DWT

Two-scale difference equation (background), 283-284. *See also* Dilation, equation

U

Undecimated Discrete Wavelet Transform (UDWT)

- a first glance, 19-24, C8
- case studies, 241-249
- comparison with conventional (decimated) DWT, 124, 144, 243-245
- decomposition portion, 20-21, 124, 144
- frequency allocation diagram, 68-74, 224
- hybrid UDWT/DWT, 249
- other names for, 124, 134, 248
- pathological DWT case solved by UDWT, 241-249
- reconstruction portion, 20, 124, 127, 144, 149
- relating UDWT to CWT, 124-140
- scales and levels (terminology), 120
- step-by-step walk-through using Haar wavelet, 43-58

stretching the wavelet, 107, 124-129
three more basic filters than in CWT,
144
UDWT display, 243-244
Upsampling. *See also* Downsampling and
Conventional (decimated) DWT
A' Trous ("with holes"), 23, 50
jargon alert, 23
producing artifacts, 291, 296
stretching the filters , 21-25, 50-54
upsampling by two (dyadic), 18, 23, 101,
208

V

Vanishing moments, 175-176. *See also*
specific wavelet

W

Wavelet artifacts, 281, 290, 295-296, 299
Wavelet domain, 10, 297-298

Wavelet filters (list), 219. *See also specific*
wavelet

Wavelet Packet Transform (WPT). *See also*
Conventional DWT

decomposition and reconstruction
portions, 138

nodes, 139

packet switching, similarities to, 139

transmultiplexers, similarities to,
139-140

Wavelets: Beyond Comparison (article by
author), C1-C10

Windows

Blackman, 79, 198

Hamming, 79, 198

Hanning (Von Hann), 79, 198

Z

Z transform, 152-154, 183